

The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, September 03, 2013** at 12:15 a.m. Eastern Time. Please <u>contact NSF International</u> to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: http://info.nsf.org/Certified/PwsComponents/Listings.asp? http://info.nsf.org/Certified/PwsComponents/Listings.asp? http://info.nsf.org/Certified/PwsComponents/Listings.asp? https://info.nsf.org/Certified/PwsComponents/Listings.asp? <a href="https://inf

NSF/ANSI 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of <u>Abbreviations used in these Listings.</u>

Hycrete, Inc.

462 Barell Avenue
Carlstadt, NJ 07072
United States
201-386-8110
Visit this company's website (http://www.hycrete.com)

Facility: Carlstadt, NJ

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Concrete Admixtures			
Hycrete M1000	[1]	С. НОТ	CMNT
Hycrete W1000	[1]	C. HOT	CMNT
Hycrete W1002	[1]	C. HOT	CMNT
Hycrete W500	[1]	C. HOT	CMNT
Hycrete W502	[1]	C. HOT	CMNT
Hycrete X1000	[1]	C. HOT	CMNT
Hycrete X1002	[1]	C. HOT	CMNT

^[1] Certified for a maximum use level of 3 gallons per cubic yard of concrete. Certified

for use in pipes 84'' and greater and tanks 50,000 gallons and greater.

Number of matching Manufacturers is 1 Number of matching Products is 7 Processing time was 0 seconds